

Presentation of the product

Packaging 50 ud.

- **Content:** 50 bags of 1 unit
- **Dimensions:** 480 x 300 x 400 mm

Bag of 1 ud.

- **Content:** 1 unit
- **Dimensions:** 280 x 240 x 10 mm



Bag of 1 ud.

- Name and address of the manufacturing company
- Name of the product in several languages
- Commercial reference and batch number
- Manufacturing and expiration dates
- Barcode (EAN) and UDI code
- Number of units
- Single use
- Storage conditions
- EC Marking
- Legislation and Reference
- Uses, applications, and warnings

General characteristics

Description

Disposable coverall with hood made of non-woven polypropylene. Features a zipper closure and elasticated cuffs, ankles and hood for a better fit. Lightweight, cost-effective material with good dirt resistance.

40 ± 2 g/m². Low-lint. Pocket-free design.

Manufactured in accordance with the requirements of Regulation (EU) 2016/425 on Personal Protective Equipment. The polypropylene material provides resistance to limited liquid penetration.

Shelf life: 3 years

Dimensions:

- Overall length: 178 ± 3 cm
- Chest width: 69 ± 3 cm
- Hood height: 30 ± 2 cm
- Sleeve length: 60 ± 2 cm

Color distribution: White (DC03WE), Blue (DC03BE)

Clasification

- Class I Medical Device; Regulation (EU) 2017/745
- Category I PPE: Regulation (EU) 2016/425

Physical Properties

Composition and Features

Material used: Polypropylene (PP)

- Non-Sterile
- Protein-Free
- Latex-Free
- Powder-Free
- Tiuram-Free

Logistics Sheet

Reference	EAN code		Carton box weight (Kg)	Carton box volume (m ³)	Carton boxes/ Pallet	Assembly/ Pallet (Carton boxes x layers)
	Bolsa Interior	Caja				
DC03BE	8436613860267	8436613860274	8,0	0,05086	20	5 x 4
DC03WE	8437017506874	8437017506881	8,0	0,05086	20	5 x 4

Usos y aplicaciones

Recommended primarily for protection in factories, laboratories, hospitals and the food processing industry. Suitable for contamination control and protection against dirt. Helps protect the wearer's clothing while reducing environmental contamination. Not suitable for protection against biological hazards.

They are also ideal for artists and painters looking for a more coated material to help protect against accidental spills of liquid products such as paint, or for situations requiring temporary splash protection, such as in research and veterinary applications.

Directives and Reference Standards

- Regulation (UE) 2016/425 Personal Protective Equipment
- Regulation (UE) 2017/745: Regulation on Medical Devices
- ISO 13485:2016: Quality management systems for medical devices
- ISO 14001:2015: Environmental management systems

Storage conditions

Store in a cool, dry place, between 10 and 40 °C. Avoid excessive heat and protect from direct sunlight or fluorescent lighting, as well as from proximity to high-frequency equipment.



Management system

Quality management system according to ISO 13485.

Product conformity

